



Visit our outlet

Hoses, couplings and accessories
at unbeatable prices

Hoses

Water hose Armyl

AREA OF USE:

Irrigation of gardens, parks and the like.
Lightweight, flexible, durable and easy to handle even at low temperatures.

CONSTRUCTION:

Tube: Smooth PVC.

Cover: Green PVC.

PACKAGING:

25 M / 50 M

The 1035 water hoses are only sold in full packages, 25 m/50 m.

[Order product](#)

Mod nr	ID mm	Thickness	OD mm	WP	BP	Bendingradius	kg/m	Price	Ord. Price
1035-1325	12.5	2.5	17.5	8	24	140	0.13	9 kr/m	31 kr/m
1035-1350	12.5	2.5	17.5	8	24	140	0.13	9 kr/m	31 kr/m
1035-1925	19	3.5	24	6	24	200	0.24	15 kr/m	50 kr/m
1035-1950	19	3.5	26	6	24	200	0.24	15 kr/m	50 kr/m

Welding hose PN 20 twin

AREA OF USE:

Welding both indoors and outdoors. Suitable for most types of welding equipment.


CONSTRUCTION:

Tube: Black smooth SBR (oxygen hose), EPDM rubber (acetylene hose).

Cover: Blue smooth EPDM rubber (oxygen hose), Red smooth EPDM rubber (acetylene hose).

PACKAGING:

50 M

[Order product](#)

Mod nr	ID mm	Thickness	OD mm	WP	BP	Bending radius	Weight kg/m	Price	Ord. price
1105-1010	10	3.5	17	20	60	100	0.42	16 kr/m	91 kr/m

Unreinforced PVC hose

PACKAGING:

50 M

1251-0407CR - 2 kr/m

[Order product](#)

High pressure water hose blue

AREA OF USE:

Suitable for hot water under high pressure in connection with cleaning in the food industry, bathhouses and car wash facilities. Reinforced with a braided steel wire insert.

CONSTRUCTION:

Tube: Synthetic rubber resistant to hot water and aqueous detergents.

Reinforcement: Reinforced with a braided steel wire rope insert.

Cover: Abrasion and weather resistant synthetic rubber.

[Order product](#)

1824-0008 - 55 kr/m (Ord.price 132 kr/m)

Mod nr	ID mm	Thickness	OD mm	WP	Bending radius	Weight	kg/m
1824-0008	12	4	20	220	640	180	0.36

Reinforced PVC hose

PACKAGING:

50 M

1042-0010 - 3 kr/m (Ord.price 16.5 kr/m)

1042-0013 - 3 kr/m (Ord.price 16.5 kr/m)

[Order product](#)

Unreinforced PVC hose

AREA OF USE:

Liquid transportation in the food, pharmaceutical and technical industries as well as for coffee machines, beverage machines and laboratory equipment.

CONSTRUCTION:

Smooth transparent silicone rubber.

PACKAGING:

50 M

1209-180230 - 46 kr/m

[Order product](#)

Suction hose PVC with spiral

AREA OF USE:

Suitable for sludge suction, bilge pumping and grain etc.

CONSTRUCTION:

Made of PVC. Strong and flexible. Heavy duty PVC spiral reinforcement.

1475-0055 - 48 kr/m

[Order product](#)

Fatty foods without helix

APPLICATIONS:

Suitable for food industry where fat, milk and oil products are used. FDA approved.

CONSTRUCTION:

Hose tested according to the main norms for food contact materials *(FCM – Reg. (CE) 1935/2004). Manufactured according to *GMP (Reg. (CE) 2023/2006).

[Order product](#)

Mod nr	ID mm	Thickness	OD mm	WP	BP	Weight kg/m	Price	Ord. price
1367-0063F	63.5	8	79.5	10	30	3.35	380 kr/m	1265 kr/m
1367-0075F	76	10.5	97	10	30	4.16	433 kr/m	1443 kr/m

Camlock couplings

AREA OF USE:

As a tight coupling between hose and pipe or as a hose coupling. For transportation of e.g. nitrogen gas, compressed air, gasoline, oils, water, paint, acids, cement etc.

Male coupling A - int. thread aluminum

2403-1025 (Connection 1") - **10 kr** (Ord.price 93 kr)

[Order product](#)



Female coupling B - ext. thread aluminum

2405-1020 (Connection 3/4") - **30 kr** (Ord.price 203 kr)

2405-1032 (Connection 1 1/4") - **55 kr** (Ord.price 276 kr)


[Order product](#)



Male coupling F - ext. thread aluminum

2407-1065 (Connection 2 1/2 ") - **25 kr** (Ord.price 266 kr)

[Order product](#)



Female coupling C - with hose shank aluminum

2409-1032 (Connection 1 1/4") - **55 kr** (Ord.price 266 kr)


[Order product](#)



Cap DC aluminum

2413-1025 (Connection 1") - **30 kr** (Ord.price 181 kr)

[Order product](#)




Plug DP aluminium

2415-1040 (Connection 1 1/2") - **9 kr** (Ord.price 97.5 kr)

2415-1050 (Connection 2") - **12 kr** (Ord.price 104 kr)


[Order product](#)



Female coupling D - int. thread bronze

2401-2015 (Connection 1/2") - **31 kr** (Ord.price 408 kr)


[Order product](#)



Male coupling A - int. thread bronze

2403-2015 (Connection 1/2") - **19 kr** (Ord.price 171 kr)


[Order product](#)



Female coupling B - ext. thread bronze

2405-2025 (Connection 1") - **39 kr** (Ord.price 1003 kr)

[Order product](#)




Male coupling F - ext. thread bronze

2407-2040 (Connection 1 1/2") - **60 kr** (Ord.price 977 kr)

2407-2050 (Connection 2") - **70 kr** (Ord.price 1334 kr)


[Order product](#)



Male coupling E - hose shank bronze

2411-2025 (Connection 1") - **120 kr** (Ord.price 676 kr)


[Order product](#)



Cap DC brons

2413-2050 (Connection 1") - **130 kr** (Ord.price 1356 kr)

[Order product](#)



Female coupling - int. thread stainless steel

2401-3050 (Connection 2") - **115 kr** (Ord.price 1249 kr)

[Order product](#)



Female coupling. B - ext. thread stainless steel

2405-3020 (Connection 3/4") - **39 kr** (Ord.price 400 kr)

2405-3032 (Connection 1 1/4") - **80 kr** (Ord.price 791 kr)


[Order product](#)



Male coupling F - ext. thread stainless steel

2407-3040 (Connection 1 1/2") - **70 kr** (Ord.price 861 kr)

[Order product](#)



Female coupling C - hose shank stainless steel

2409-3032 (Connection 1 1/4") - **80 kr** (Ord.price 829 kr)

[Order product](#)



Male coupling E - hose shank stainless steel

2411-3032 (Connection 1 1/4") - **50 kr** (Ord.price 579 kr)

[Order product](#)




Cap DC stainless steel

2413-3025 (Connection 1") - **75 kr** (Ord.price 435 kr)

2413-3040 (Connection 1 1/2") - **85 kr** (Ord.price 758 kr)

2413-3050 (Connection 2") - **95 kr** (Ord.price 991 kr)

[Order product](#)



Cap DC polypropylene

2413-4040 (Connection 1 1/2") - **55 kr** (Ord.price 261 kr)

[Order product](#)



Camlock gaskets

AREA OF USE:

Used for Camloc couplings. Depending on the media and temperature, gaskets of different materials are selected.

Gasket NBR

2433-1020 (Connection 3/4") - **3 kr** (Ord.price 7.5 kr)

2433-1025 (Connection 1") - **3 kr** (Ord.price 7.9 kr)

2433-1050 (Connection 2") - **4 kr** (Ord.price 12.9 kr)

[Order product](#)



Gasket EPDM

2433-2025 (Connection 1") - **3 kr** (Ord.price 9.8 kr)

[Order product](#)



Hose clamps Oetiker

AREA OF USE:

Hose connections in low and medium pressure areas. Metal-to-metal connections and electrical cables. Made of galvanized steel.

Hose clamp Oetiker 2-ear

2039-030050 (3,4 -5 mm) - **1.5 kr** (Ord.price 6 kr)

[Order product](#)



Hose clamp - decarbonised

AREA OF USE:

Hose clamp for use with bell couplings intended for compressed air.

BANDWIDTH:

20 x 1 mm


MATERIAL:

Made of zinc-plated malleable iron according to RSK 45708.

Hose clamp - decarbonised

2067-0032 (39-49 mm) - **24 kr** (Ord.price 109 kr)

[Order product](#)



Pipe clamp

2071-0028 (28 mm) - **6 kr**

2071-0038 (38 mm) - **6 kr**

2071-0042 (42 mm) - **7 kr**

2071-0048 (48 mm) - **9 kr**

2071-0051 (51 mm) - **12 kr**

2071-0057 (57 mm) - **12 kr**

2071-0070 (70 mm) - **14 kr**

2071-0076 (76 mm) - **16 kr**

[Order product](#)

